Technical Specifications







Size and Weight

Height	2.50 inches (63.50 mm)
Width	2.50 inches (63.50 mm)
Thickness	0.085 inches (2.16 mm)
Weight	0.63 oz. (18 g)

Unique Dual Protection System STOPs Thieves Cold.

Anchors devices in place by locking them to a reinforced, aviation-grade metal retaining clamp instead of a lightweight, easy-to-defeat "security" slot.

Dual Layer of Protection: STOP Security Plate + Physical Lockdown

Heavy-Duty Reinforced Anchoring System

Building on the theft-deterrent features of our STOP Security Plate, we've created the ultimate theft-prevention system in our STOPLock Plate. A patented steel locking cable snaps into a receptacle in the center of our specially designed STOPLock Plate, adding a double layer of protection for laptops and other mobile devices, protecting them from "snatch-and-run" thieves. When you remove the cable lock to transport the device, the STOPLock Plate remains in place, providing around-the-clock anti-theft and recovery protection.





Technical Specifications

Dual Layer of Protection: STOP Security Plate + Physical Lockdown



Permanently Affixed, Bar-Coded Metal Plate for a Lifetime of Protection

Like the Standard STOP Security Plate, STOPLock is made of a rugged photoanodized aluminum plate imprinted with a strong dissuasive warning, our domestic- and international toll-free recovery hotline numbers, our Website address, and a unique Bar-coded ID number. The STOPLock System clearly identifies your valuable devices, sending a strong "hands-off" warning message to would-be thieves.





Permanently Bonded "Stolen Property" Tattoo Eliminates Illicit Resale Value

Our "Stolen Property" tattoo, hidden beneath the STOPLock Plate, remains permanently bonded to the device even if the STOPLock Plate is removed, taking away the incentive for theft by eliminating illicit resale value.

How the STOPLock System Works

Online Registration System

The STOPLock system acts as a physical theft deterrence, inventory management and recovery system. STOPLock is not an electronic tracking system. STOP also offers electronic tracking capabilities with STOP-Monitor, our Real-Time Asset Tracking, Geolocation and Data Protection System. (Learn more on our Web site). The face of the STOPLock Plate is marked with a unique STOP ID number registered in our STOP Security Plate Online Registration System. This database lists and links the device information and STOP ID number to its owner. Our many recovery stories demonstrate that the STOP Security Plate and the STOPLock system helps return lost or stolen devices by immediately identifying the rightful owner. Our Website address and our domestic- and international toll-free recovery hotline numbers are also marked on the Security Plate, providing an easy way for finders to "do the right thing" by contacting us as soon as they find the device protected by STOP.



There is a one-time charge for the STOPLock System, with no annual renewal fee. This service is for the life of the device, and is transferable to the new legitimate owner after we have verified with the registered owner that it is free and clear; the new owner may re-register for free. The STOPLock and Standard Security Plates protection system is effective for the life of your equipment.



Technical Specifications

How the STOPLock System Works

Bond Strength and Tattoo

Plate Adhesive: 3M™ VHB Adhesive Transfer Tape Tattoo Activating Gel: Cyanoacrylate Adhesive Gel

Each STOPLock Security Plate is backed with 3M's VHB (Very High Bond) double-sided transfer tape. In addition, an Instant Adhesive Gel is used to permanently bond the "Stolen Property" tattoo to the surface of the equipment.

The combination of these two adhesives creates a strong, permanent bond to the substrate, requiring up to 400 pounds of force per square inch of static shear to break the bond.



Our experience since our inception in 1991 with over 2,000,000 applications on a wide range of substrates shows that our STOPLock Plates will bond as claimed provided they are installed according to our installation instructions. Our "Stolen Property" tattoo provides additional protection even if a determined thief removes the STOP Security Plate.

In the Box

Each STOPLock Kit order will contain:

- 1 STOPLock Plate
- 1, 6-foot Steel Locking Cable with 2 dedicated Keys.
- 1, 3-gram tube of Tattoo Activating Gel-Cyanoacrylate Instant Adhesive
- 1 Red Warning Sticker
- 1 Alcohol Cleaning Swab
- Master Key(s) (Optional)
- · Installation Instructions



Master Keys

Each STOPLock Kit includes two dedicated keys that will open only the cable lock in that kit. Each key is uniquely numbered, with the first digit indicating the master series used for the locking cable. STOPLock Kits are available in three uniquely master-keyed series.

For installations where you prefer that users do not have access to the lock, but where a supervisor or administrator has access to all locks, you may order STOPLock Kits with Master Keys that match the series of cable locks shipped to you. These master keys will open all locks that match the master key series in the kits that were shipped to you. STOP records the master key series for each STOPLock Kit shipped. This way, you can be sure that all subsequent STOPLock Kit orders will match that master key series, unless you request otherwise.



Technical Specifications

Discover the Complete STOP Solution on www.STOPTheft.com

		STOPMonitor Pro	STOPMonitor Standard	STOP Security Plate	STOPLock	STOP Security Plate + STOPMonitor Pro
(b)	Real-Time Asset Management	~	✓			✓
ф ф	Enterprise Console	~	~			✓
	Geolocation Via IP Address	~	~			✓
00	Enhance Geolocation Wifi + IP Address	~				✓
•	Reversible Encryption	~				✓
(-)	Bootlock	~				✓
co	Offline Bootlock	~				✓
Û	Visual Theft Deterrence			✓	~	✓
O	Lost Equipment Recovery			~	~	✓
- <u>8</u>	No Illegitimate Resale Value			~	~	✓
ů	Heavy-Duty Anchoring				~	✓
-6-	Cable Lock Down				~	✓

From single users through the enterprise, STOP provides the fully-integrated, comprehensive security approach to cost-effective asset management and protection.